

# **Biofuels: Land Use Change, Uncertainty, and Time**

The research reported here was partially supported  
by the California Air Resources Board and the Energy Biosciences Institute  
and does not necessarily represent the view of either organization

**Michael O'Hare**

Goldman School of Public Policy  
Univ. of California, Berkeley  
ohare@berkeley.edu



# Thanks!



Alex Farrell  
Mark Delucchi  
CARB  
EBI  
Kevin Fingerman  
Andy Jones  
Dan Kammen  
Tom Hertel



Alissa Kendall  
Jeremy Martin  
Erin Palermo  
Rich Plevin  
Sabrina Spatari  
Dan Sperling  
Brian Turner  
Sonia Yeh

# Five big issues for iLUC (indirect land use change emissions)


- How big is it
  - especially, is it bigger than [GWI(petroleum) - GWI(direct biofuel)]?
  - Can it be reduced at the point of production or consumption?
  - What about yields?
- Policymaking and uncertainty in LUC estimates
- Time and fuel GHG comparisons
- International considerations
- Application to non-biofuel contexts
  - Oil and nuclear (capital intensive)
  - Housing and sprawl
  - Highways
  - Coal
  - Oil sands
  - FFF!

# How big is LUC?


- Big  
(details to follow)

# How should we think about uncertainty?

- Is the GHG intensity of a biofuel an RV with a PDF?
- If so, what statistic should be used for its GHG index in a regulatory context?
- What does the cost-of-being-wrong function look like?




# Time and early discharges change GW estimation



**FAZENDA ECOLÓGICA – Nª Sª DO LIVRAMENTO – MT  
PASTAGEM DEGRADADA – MORRO DA CAIXA D'ÁGUA - (1.994)**

Sustainability & International issues



**1 animal/ha**

# LUC in the LCFS

- For producer  $j$  in year  $t$  who blends  $Q_j$  units of fuel with GHI index  $G_j$ , the fine (or sale of credits) when the standard is  $S_t$  will be:

Direct LCA

$$AFCI_{jt} = G_p Q_p + \{G_b + iLUC\} Q_b$$
$$C_{jt} = (S_t - AFCI_{jt}) P Q_t$$

*Policy implementation comprises (mostly) establishing operational definitions for these variables.*

# LCFS in practice

- For producer  $j$  in year  $t$  who blends  $Q_j$  units of fuel with GHI index  $G_j$ , the fine (or sale of credits) when the standard is  $S_t$  will be:


Direct LCA


$$AFCI_{jt} = G_p Q_p + \{ G_b + \img alt="elephant" data-bbox="640 425 750 530" \} Q_b$$
$$C_{jt} = (S_t - AFCI_{jt}) P Q_t$$


*ILUC is the elephant in the room of biofuels policy*

# Response function is non-linear

Gal biofuel offered







# How big is LUC?

- Cal/Purdue GTAP estimates for corn ethanol at 2007 yields are about
  - 800 g/MJy allowing food prices and consumption to rise/fall (*note: not g/MJ*) (“straight-face” range about 500-4000)
  - 1200 g/Mjy holding food constant
  - Searchinger 2008: ~3000
- Gasoline is about 95 g/MJ
- CARB is using 70 g/MJ for average direct corn ethanol

# Key parameters

- Fuel yield
- Price elasticity of yield: higher causes less LUC
- Productivity of new land: higher causes less LUC
- Cultivation period: longer causes lower GWI
- Carbon stock data
- Recapture (time and amount)
- Discount rate

# How might these LUC AFCl results be too high/low?

- Higher yields of all crops
- Different allocations of “makeup” to different natural lands
- Better C stock & land use data
- Coproduct accounting
- Counting C recapture after production
- Albedo changes (eg, snow on former boreal/temperate forest land)
- Nitrogen cycle
- Other greenhouse gases (eg, cattle, rice methane)
- Extremely low-AFCl biofuel crops (e.g mixed perennials for biomass conversion)
- More conversion from lower-C land types (pasture)
- Increased cattle intensity/better practice


# Idle lands and yield increases

- *If there is a dynamic **fff/wild boundary** anywhere, the only biofuel crops without iLUC GHG releases are grown on land that cannot grow food*

## **Thought experiment:**

- (1) Increase yields, or find 'idle' land with low C stock: a notional empty field.**
- (2) Should it be planted with**
  - (1) fff, with GHG benefits from moving the boundary back (slow sequestration) or forward more slowly (avoided fast release), or**
  - (2) Biofuel, with GHG benefits from displacing fossil fuel?**
- (3) Is the answer different if the land to be planted is now in agriculture?**

# Model Uncertainty and Parameter Uncertainty



Gasoline – direct ethanol

# What is the RV estimated by these models?

Precisely, it is the value of the LUC GW term as defined by the particular model used considering the variability in its underlying parameters.

It is not, except incidentally, the value a different model would produce.

The concept of operational definition is central here

We need different kinds of model (dynamic, agent-based, etc.).

# Time and “counting” GHG

- A unit of GHG discharge now is much worse than a unit twenty years from now
  - Residence time
  - Irreversibilities: probability of a calamity such as collapse of a large grounded ice cap or stopping of the Gulf Stream that would vitiate further GHG reduction.
  - Stern-Nordhaus debate on discounting

# Key time issues


- Production period
- Analytic horizon
- Policy horizon
- Policy goal choice:
  - Fuel carbon content
  - Atmospheric carbon at target time
  - Integral of carbon release
  - Warming
  - Social cost


# Discharges to costs

- **Discharge(t)**
  - Decay
- **Atmospheric concentration(t)**
  - Forcing(concentration)
- **Temperature(t)**
  - Climate, water, adaptation, etc.
- **Costs(t)**
  - Discounting
- **NPV**



Corn ethanol: 25 yrs production, 60g direct emissions, 776 g LUC, 30 yrs recovery of 50% of LUC





FWP(t) is total warming up to time t

# Implications

- These models still don't include diminishing warming effect with increasing atmospheric C
- ...but even with a very low initial discharge (800 gm/MJ-y capacity), 25 years' production, and a low  $r$ , *there's no time in the next century when there is meaningful GW benefit from using maize ethanol instead of gasoline.*

# Brasil is important


- “Far end” of iLUC causal chain
- Is cane ethanol a good LCFS compliance path if we don't have corn ethanol?
- What about biodiesel?
- LUC is critical
- Local policy is critical (cattle management, forest protection)
- Experience instructive for ROW

**Kenyan courts halt \$370 million sugarcane, ethanol project over environmental concerns**

July 14, 2008

<http://biofuelsdigest.com/blog2/2008/07/14/kenyan-courts-halt-370-million-sugarcane-ethanol-project-over-environmental-concerns/>

**FAZENDA ECOLÓGICA – Nº Sª DO LIVRAMENTO – MT  
PASTAGEM DEGRADADA – MORRO DA CAIXA D'ÁGUA - (1.994)**



1 animal/ha

# PASTOREIO RACIONAL VOISIN

Formalizado por André Voisin (1.957)

SISTEMA DE MANEJO QUE PERMITE  
O EQUÍBRIO DO TRINÔMIO

**SOLO**

**PASTO**

**GADO**

ONDE CADA ELEMENTO TEM UM  
EFEITO POSITIVO SOBRE OS  
OUTROS DOIS



# Gado em Pastoreio Voisin na Pastagem Ecológica Fazenda Ecológica - Nossa Senhora do Livramento - MT



# LUC effects from cane

- *Possible* (cattle intensification absorbs cane land use) vs. *likely* (cattle expand into natural land).
- Direct cane GHG is very low (Goldemberg et al 2008, Macedo et al 2004,2008)
- LUC is critical and not included
- Need CGE models
- WTO rules will matter for policy

# Some biofuels will not have LUC effects

- MSW
- Forestry waste
- Used food oils
- Agricultural 'waste'
- Algae
- Biomass crops on waste land

*BUT these are scarce, or years away...*

# Non-climate issues

- Biofuel crops are mostly
  - Low labor input
  - Industrial monocrop agriculture
  - Land-hungry
  - Water-thirsty
- Next issues will be “sustainability” considerations
  - Species diversity
  - Rural sociology and economics
  - Etc.

“Sustainability” is another whole can of worms!

Assessment of effects

Association with ‘batches’ of fuel

Local enforcement capacity

Commensuration

Application in a regulatory environment with  
real \$ consequences and court  
oversight

WTO rules

“Goal creep”: LCFS and EISA are GW  
(energy security) policies, not  
‘every good thing’ policies

Your  
thoughts?

